

# ■ Fillflex™ other accessories

Equipment and accessories for the Fillflex system


**FILLFLEX**

– the flexible filling machines



There are a variety of Fillflex accessories that will make your filler more flexible and efficient. By putting your Fillflex Compact on a mobile trolley you will, for instance, have a filler just as mobile as the larger Fillflex Split Mobil. A feed hopper (with or without heating jacket) facilitate filling of viscous products. A starting pedal frees your hands when filling etc.





### Wheels

For Fillflex Compact TF5500C.

**Order number:**  
TFA10115



### Feed hopper, with heating jacket

Volume 10 litres. Hot water heated.

**Order number:**  
TFA10131-10/25 (connection 25 mm)  
TFA10131-10/51 (connection 51 mm)



### Feed hopper

**Order number:**

TFA10130-10/25	(connection 25 mm)	10 lit.	for Fillflex Compact
TFA10130-10/51	(connection 51 mm)	10 lit.	for Fillflex Compact
TFA10130-20/38	(connection 38 mm)	20 lit.	for Fillflex Compact Lobe
TFA10130-20/51	(connection 51 mm)	20 lit.	for Fillflex Compact Lobe



### Lid

With or without connections for level control and product feed.  
For feed hoppers TFA 10130-10

**Order number:**  
TFA10136 (without connections)  
TFA10137 (with connections)



### Starting handle

For manual start. Is mounted on outlet hose or pipe with 25 mm diameter. Air controlled. No electricity. Simple and safe.

**Order number:**  
TFA10145



### Hand bellow

Is mounted on outlet hose or pipe. Air controlled. No electricity. Simple and safe.

Order number:  
6446/00



### Pedal

For manual start. Air controlled. No electricity. Simple and safe.

Order number:  
6210/OB



### Plug

Connection for external signal.

Order number:  
44-560-26



### Hose, PVC

20, 25, 40 and 50 mm diameter. Helical reinforced.

Order number:  
149-20 (20 mm)  
149-25 (25 mm)  
149-40 (40 mm)  
149-50 (50 mm)



### Hose, polyuretane

20 and 25 mm diameter. Helical reinforced.

Order number:  
266020 (20 mm)  
266025 (25 mm)



### **Wrench**

For nut tightening, 25, 38 and 51 mm.

**Order number:**  
952-25/76

---



### **Adjustable stand**

**Order number:**  
TFA10430

---



### **Adjustable trolley**

For Fillflex Compact.

**Order number:**  
TFA10422

---



### **Adjustable trolley**

For Fillflex Split.

**Order number:**  
TFA10425

---



### Pipe support

For Fillflex Compact Sequence etc.

With foot. Adjustable.

Length: max. 300 mm.

Order number:

TFA10224 (for 25 mm pipe)

